

Systematic Literature Reviews

- [Overview](#)
- [Define Your Research Question & Select Framework](#)
- [Self-Assessment Checklist for Your SLR Search](#)
- [Writing a Protocol](#)
- [Conducting Your Search](#)
- [Screening the Results](#)
- [Appraise Study Quality](#)
- [Extract Data](#)
- [Synthesize and Report](#)
- [Evaluating Your Own SLR Process](#)

Overview

Systematic literature reviews (SLRs) are a structured, reproducible method for identifying and synthesizing existing research to answer a focused research question. This page will guide you through the concept and process step by step.

What Is a Systematic Literature Review?

An SLR is a scholarly synthesis of evidence on a clearly defined topic, using explicit, pre-specified methods to identify, select, critically appraise, and summarise relevant studies. Unlike ad hoc reading of literature, every decision is documented so the review can be replicated.

- Minimizes selection bias through predefined inclusion/exclusion criteria
- Provides the highest level of secondary evidence for a research question
- Common in business research (e.g., management, HRM, strategy, marketing) theses

SLR vs. Traditional Literature Review

Feature	Traditional Literature Review	Systematic Literature Review
Research question	Broad or flexible	Narrow and pre-specified
Search strategy	Informal, author-led	Documented, reproducible
Study selection	Subjective	Governed by explicit criteria
Quality appraisal	Often absent	Mandatory
Reporting	Variable	Follows standards (e.g., PRISMA)
Replicability	Low	High

When Should You Use an SLR?

- Your thesis research question asks *what does the existing evidence show about X?*

- Your supervisor or faculty expects evidence-based synthesis (common in management, HRM, sustainability, entrepreneurship)
- You have sufficient time; a rigorous SLR takes weeks to months
- Note: Not every thesis requires an SLR; confirm with your supervisor first

The SLR Process: Step by Step

Step 1: [Define Your Research Question / Select Framework](#)

Read more

A well-defined research question is the foundation of a systematic literature review. Every subsequent decision (which databases to search, what terms to use, which studies to include) flows directly from it. A question that is too broad produces an unmanageable volume of results; one that is too narrow may yield almost nothing. Structured question frameworks give you a reliable method for making your question precise and searchable before you open a single database.

Review [Define Your Research Question & Select Framework](#) for more information on this topic.

Step 2: [Write a Protocol](#)

Read more

A protocol is a written plan that specifies, **in advance**, exactly how you intend to conduct your systematic literature review. It is not complete until all 11/12 sub-sections below have been worked through and recorded. Writing the protocol is not a bureaucratic hurdle; it is the mechanism that makes your review transparent, reproducible, and defensible to examiners, supervisors, and future readers.

Review [Writing a Protocol](#) for more information on **why it matters** and **what it contains**.

Step 3: [Conduct Your Search](#)

Read more

This step translates the search strategy you documented in your [protocol](#) into actual database queries, records the results systematically, and prepares a clean, deduplicated set of references for screening. Precision and documentation at this stage are critical: every decision you make must be recorded so that your search can be reported transparently in your final thesis.

Review [Conducting Your Search](#) for more information on this topic.

Before you search, use our [Search Quality Self-Assessment Checklist](#) (adapted from [vom Brocke et al., 2015](#)) to verify your search strategy meets the standards expected in a systematic review.

Step 4: [Screen Results](#)

Read more

Screening is the process of applying your pre-specified inclusion and exclusion criteria to the deduplicated set of references produced earlier, in order to identify the studies that will form the basis of your review. It proceeds in two sequential phases: first by title and abstract, then by full text. Each phase reduces the total set further; only studies that pass both phases are included in your final review.

Review [Screening the Results](#) for more information on this topic.

Step 5: [Appraise Study Quality](#)

Read more

Quality appraisal is the systematic assessment of the methodological rigor of each study included after screening. It answers the question: how much confidence can we place in the

findings of this study? Appraisal does not judge whether a study is interesting or relevant (screening already established relevance); it judges whether the study was conducted in a way that makes its findings trustworthy.

Review [Appraise Study Quality](#) for more information on this topic.

Step 6: [Extract Data](#)

Read more

Data extraction is the process of systematically pulling the information you need from each included study and recording it in a standardised form. It bridges the gap between your screened, appraised set of studies and the synthesis you will conduct later. Consistent, thorough extraction is what makes synthesis possible: if you extract different information from different papers, you cannot meaningfully compare or combine them.

Review [Extract Data](#) for more information on this topic.

Step 7: [Synthesize and Report](#)

Read more

Synthesis is where the work of the review becomes an argument. Having [identified](#), [screened](#), [appraised](#), and [extracted data](#) from your included studies, you now interpret what they collectively say in response to your research question. Reporting then translates that interpretation into a structured written account that meets the standards of academic transparency required for a thesis.


Review [Synthesize and Report](#) for more information on this topic.

Before Submission: [Evaluating Your Own SLR Process](#)

A Note on Process Models

Different disciplines and authors present SLR processes with slightly different stage names and orders. The seven-step structure presented here synthesises best practices from management research ([Tranfield et al., 2003](#)), software engineering ([Kitchenham & Charters, 2007](#)), and information systems ([vom Brocke et al., 2015](#); [Bandara et al., 2015](#)). The core sequence (question → protocol → search → screen → appraise → extract → synthesise) is common across all models; differences are primarily in emphasis rather than substance.

SLR Processes: A Selection




"SLR Process of Kitchenham and Charters 2007" by Hasan Koç is licensed under [CC BY-NC-SA 4.0](#), based on [Kitchenham & Charters, 2007](#).

SLR Processes: A Selection

SLR Process by

Bandara, W., Furtmueller, E., Gorbacheva, E., Miskon, S., & Beekhuyzen, J.P. (2015). Achieving Rigor in Literature Reviews: Insights from Qualitative Data Analysis and Tool-Support. Commun. Assoc. Inf. Syst., 37, 8.



"SLR Process of Bandara et al 2015" by Hasan Koç is licensed under [CC BY-NC-SA 4.0](https://creativecommons.org/licenses/by-nc-sa/4.0/), based on [Bandara et al., 2015](#).

Define Your Research Question & Select Framework

Overview

A well-defined research question is the foundation of a systematic literature review. Every subsequent decision (which databases to search, what terms to use, which studies to include) flows directly from it. A question that is too broad produces an unmanageable volume of results; one that is too narrow may yield almost nothing. Structured question frameworks give you a reliable method for making your question precise and searchable before you open a single database.

Why Are You Conducting This Review?

Before formulating your question, be clear about the purpose of your review. A systematic literature review is not a default method; it is the right choice for specific research goals. Common justifications in business and management research include:

- Analyzing the progress of a specific research stream
- Making recommendations for future research directions
- Reviewing how a particular theoretical model has been applied in the literature
- Reviewing how a particular methodological approach has been used across studies
- Developing a conceptual model or framework
- Answering a specific, bounded empirical question

Your research question should follow directly from one of these purposes. If you cannot identify which of these your review serves, discuss the scope with your supervisor before proceeding.

Why Structure Your Question?

Formulating your question using a framework forces you to identify the exact components of your topic and translate them into search terms. This step is worth doing carefully in writing, not just in your head, because:

- It makes your search strategy transparent and reproducible
 - It helps you spot gaps or ambiguities in your topic before investing time in searching
 - It gives your supervisor something concrete to review and approve
 - It is required as part of your [protocol](#)
 - The components of your framework become the concepts in your [Boolean search strings](#)
-

Choosing a Framework

Different frameworks suit different types of research questions. The table below helps you select the right one.

Framework	Best suited to	Research types
PICO	Questions about the <i>effect</i> of something	Quantitative, experimental
SPIDER	Questions about <i>experiences, perceptions, or behaviors</i>	Qualitative, mixed-methods
PCC	Questions about <i>what exists</i> in a topic area (scoping)	Exploratory, mapping reviews

As a business or management student, you will most often use **SPIDER** or **PCC**, since many management questions ask "how" or "what" rather than "does X cause Y."

The PICO Framework

Stands for: Population · Intervention · Comparison · Outcome

Originally developed for clinical research, PICO is useful when your question tests whether a specific practice, policy, or programme produces a measurable result. It is less common in pure management research but relevant if your thesis touches on organisational interventions, training effectiveness, or behavioral economics.

Element	Question to ask yourself	Example
Population	Who or what is the focus?	SMEs in the EU retail sector
Intervention	What practice or factor is being examined?	Agile project management adoption
Comparison	What is it being compared to?	Traditional waterfall project management
Outcome	What result are you measuring?	Employee productivity and project delivery speed

Resulting question: *In EU retail SMEs (P), does adopting agile project management (I) compared to traditional methods (C) improve employee productivity and delivery speed (O)?*

The SPIDER Framework

Stands for: Sample · Phenomenon of Interest · Design · Evaluation · Research type

SPIDER was developed specifically for qualitative and mixed-methods research, where the concept of an "intervention" does not apply. It is well-suited to management questions about how people experience organisational phenomena such as leadership styles, workplace culture, or sustainability reporting.

Element	Question to ask yourself	Example
Sample	Who is the population being studied?	Mid-level managers in multinational corporations

Element	Question to ask yourself	Example
Phenomenon of Interest	What experience, behavior, or issue is the focus?	Remote work and perceived organisational belonging
Influencing factors	What contextual factors are relevant?	Post-pandemic hybrid work policies
Design	What study designs will you include?	Interviews, surveys, case studies
Evaluation	What outcome or concept is being assessed?	Employee engagement, retention intention
Research type	Qualitative, quantitative, or mixed?	Qualitative or mixed-methods

Resulting question: *How do mid-level managers in multinationals (S) experience organisational belonging in remote/hybrid work environments (P), as shaped by post-pandemic policies (I), across qualitative and mixed-methods studies (D/R)?*

The PCC Framework

Stands for: Population · Concept · Context

PCC is used for **scoping reviews**, a type of SLR designed to map the existing literature on a topic rather than answer a narrow effectiveness question. It is appropriate when your research question is exploratory: you want to know what has been written about a subject, identify key themes, or find gaps before proposing a more targeted study.

Element	Question to ask yourself	Example
Population	Who or what is the subject of study?	Family-owned businesses
Concept	What is the core idea or issue?	Succession planning practices
Context	In what setting, geography, or timeframe?	European markets, 2010–2025

Resulting question: *What does the literature report about succession planning practices (C) in family-owned businesses (P) in European markets between 2010 and 2025 (C)?*

Practical Tips

- **Write your question down before searching.** Even one sentence written out forces clarity.
 - **Test with your supervisor.** A good question should take no more than two sentences to explain to someone unfamiliar with the topic.
 - **Iterate, but only once.** It is normal to refine your question slightly after initial scoping searches reveal how much literature exists. Finalise it before formal data collection begins and document any changes in your protocol.
 - **Avoid "and" creep.** A question such as "What is the effect of leadership style on innovation and employee wellbeing and retention?" is three questions in one. Pick the most important element for your thesis argument.
 - **Check for existing reviews first.** Before committing to your question, run a quick search in PROSPERO (crd.york.ac.uk/prospero) or Google Scholar to confirm a recent SLR on exactly your question does not already exist. Finding one is not a dead end; it means you can build on it, update it, or narrow your scope in response to it.
 - **Keep your framework visible throughout.** Pin your completed framework table beside your workstation. Every element becomes a [search concept in later steps](#); consistency between your question and your search string is one of the first things an examiner will check.
-

From Question to Search: A Preview

The components of your framework map directly onto the concepts in your Boolean search string. Each element becomes a concept block, and synonyms for each element become OR-connected terms within that block. The blocks are then connected with AND.

Using the PICO example above:

Framework element	Concept block
-------------------	---------------

Population: EU retail SMEs	"SME*" OR "small firm*" OR "small business*" AND (Europe* OR "European Union")
Intervention: agile project management	"agile" OR "scrum" OR "kanban" OR "agile project management"
Outcome: productivity, delivery speed	"employee productivity" OR "project delivery" OR "delivery speed"

This mapping is covered in full in [Conducting Your Search](#). The point here is that a well-structured question makes the search string nearly self-evident; a vague question makes it nearly impossible.

Self-Assessment Checklist for Your SLR Search

This checklist, adapted from vom [Brocke et al. \(2015\)](#), helps you evaluate whether your search meets the standards of rigor expected in a systematic review. Use it at three stages: before you search, while searching, and after completing your search.

Before the Literature Search

- ☐ I have developed an understanding of the topic through preliminary reading
- ☐ I have justified why a literature review is necessary (addressed in my protocol background section)
- ☐ I have defined an appropriate search scope (inclusion/exclusion criteria are documented)
- ☐ I have assessed the feasibility and coverage of my planned search (tested search strings, confirmed database access)

During the Literature Search

- ☐ I tested alternative search approaches (tried different combinations of terms, checked controlled vocabulary)
- ☐ I used justifiable search techniques and parameters (Boolean operators, truncation, filters documented)
- ☐ I applied appropriate criteria for inclusion and exclusion consistently
- ☐ I documented every search in my logbook (database, date, string, results count)

After the Literature Search

- ☐ I assessed the sensitivity and specificity of my search (did it retrieve known-relevant papers? did it exclude obviously irrelevant ones?)
 - ☐ I rigorously documented the search process and results (logbook complete, PRISMA numbers recorded)
 - ☐ I compared my results with those of other reviews on similar topics (if available)
 - ☐ I collected feedback from my supervisor on the search strategy and results
-

Reference: vom Brocke, J. et al. (2015). Standing on the shoulders of giants: Challenges and recommendations of literature search in information systems research. *Communications of the Association for Information Systems*, 37. [doi:10.17705/1CAIS.03709](https://doi.org/10.17705/1CAIS.03709)

Writing a Protocol

Overview

A protocol is a written plan that specifies, **in advance**, exactly how you intend to conduct your systematic literature review. It is not complete until all 11/12 sub-sections below have been worked through and recorded. Writing the protocol is not a bureaucratic hurdle; it is the mechanism that makes your review transparent, reproducible, and defensible to examiners, supervisors, and future readers.

The protocol has two functions. First, it forces you to make every methodological decision before you are influenced by seeing results. Second, it creates a timestamped record of those decisions so that any deviation from the plan is visible and requires justification.

Do not begin searching until your protocol is complete and your supervisor has reviewed it.

What a Protocol Contains

The table below lists all required sections. Each is explained in detail in the sub-sections that follow.

Section	What it records
Title	Working title of the review
Background	Brief rationale: why this topic, why an SLR, why now
Research question	Your structured question from the previous step , using PICO, SPIDER, or PCC
Eligibility criteria	Explicit inclusion and exclusion rules

Section	What it records
Search strategy	Databases, search strings, supplementary methods
Screening process	Phases, tools, screeners, conflict resolution
Quality appraisal	Tool selected and how scores will affect inclusion
Data extraction	Fields to be collected and who will extract
Synthesis method	Narrative, thematic, or meta-analytic approach
Timeline	Planned dates for each stage
Registration	PROSPERO or OSF registration number, or a statement of why registration was not pursued
Protocol Amendments	Any changes made to the protocol after searching begins: the date of each change, the section affected, the original wording, and the reason for the change. This section is blank at submission and completed during the review process. All amendments must be disclosed in the thesis methods chapter.

For a thesis-level SLR, the protocol will typically run two to four pages. A downloadable template covering all sections is available [here](#).

Why a Protocol Matters

The core risk in any literature review is unconscious bias: the tendency to favor studies that confirm what you already expect to find. A pre-registered protocol addresses this directly by committing you to your methods before you have seen the results. Specifically, a protocol:

- **Prevents outcome-driven decisions.** Without a protocol, it is easy to quietly shift your inclusion criteria after seeing which studies support your argument. A protocol makes any such deviation visible and requires justification.
- **Supports reproducibility.** Another researcher following your protocol should be able to replicate your search and arrive at substantially the same set of included studies.

- **Strengthens your thesis.** Examiners can evaluate the rigor of your method independently of your findings. A well-written protocol demonstrates systematic thinking before you have produced a single result.
 - **Saves time downstream.** Decisions made in the protocol (date ranges, languages, study types) do not have to be renegotiated at each subsequent stage.
-

Eligibility Criteria

Eligibility criteria are the explicit rules that determine which studies are included in or excluded from your review. They are derived directly from your research question: each element of your PICO, SPIDER, or PCC framework suggests at least one criterion.

Criteria are divided into two types:

- **Inclusion criteria** define the characteristics a study must have to be eligible. Every included study must meet all inclusion criteria.
- **Exclusion criteria** define characteristics that disqualify a study, even if it otherwise appears relevant. Exclusion criteria often address practical constraints (language, access, study quality) rather than topic relevance.

Common Criterion Categories

Category	Example inclusion criterion	Example exclusion criterion
Publication date	Published between January 2015 and December 2025	Published before 2015
Language	Written in English or German	Written in any other language
Document type	Peer-reviewed journal articles and conference papers	Editorials, opinion pieces, book reviews, dissertations
Study design	Empirical studies (qualitative, quantitative, or mixed-methods)	Purely conceptual or theoretical papers
Geographic scope	Studies conducted in EU member states	Studies conducted outside Europe

Category	Example inclusion criterion	Example exclusion criterion
Population/context	Studies focused on SMEs	Studies focused exclusively on large corporations
Relevance	Studies directly addressing the phenomenon of interest	Studies mentioning the topic only incidentally

Why Criteria Must Be Pre-Specified

Criteria written after you have seen the results of your search are retrospective and therefore biased. If you find yourself wanting to exclude a specific study because it complicates your synthesis, that is a signal to engage with it more carefully, not to rewrite a criterion. Any change to criteria after searching begins is a protocol amendment and must be documented.

Testing Your Criteria

Before finalizing your criteria, test them against five to ten records from a preliminary search: a mix of obviously relevant, obviously irrelevant, and borderline papers. If you cannot apply the criteria consistently to this small sample, they need further specification before you proceed to full screening.

Search Strategy


Your search strategy records exactly how you will find the literature. It has three components.

Databases: List every database you will search. For business and management research, the standard set is [Business Source Ultimate \(EBSCO\) and JSTOR](#). Google Scholar may be used supplementarily for grey literature. The rationale for including each database should be noted briefly (coverage of the discipline, access to specific journal types, etc.).

Search strings: Document the complete Boolean search string you will use in each database. Strings are built from the concepts in your research question framework, with synonyms connected by OR and concepts connected by AND. If strings vary between databases due to different controlled vocabularies, record each variation. Full guidance on constructing strings is provided in

[Conducting Your Search.](#)

Supplementary methods: Document any additional search methods beyond database searching. The most important of these is snowballing, a technique in which you trace citations forward and backward from a confirmed set of relevant papers. Backward snowballing examines the reference lists of included studies to find earlier relevant work; forward snowballing uses citation databases (Google Scholar, Scopus, Web of Science) to find later papers that have cited an included study. Snowballing is particularly valuable in management research, where relevant work may be published in practitioner journals or conference proceedings not fully indexed in major databases.



"Phase 1 of the Bandara et al. SLR process: extraction of relevant literature" by Hasan Koç is licensed under [CC BY-NC-SA 4.0](#), based on [Bandara et al., 2015](#).

Screening Process

The screening process section of your protocol records how you will apply your eligibility criteria to the records returned by your search. It should specify:

- The two phases of screening (title/abstract, then full text) and what decisions are made at each phase
- The tool you will use (e.g. Rayyan or a spreadsheet)
- Who will screen (solo screening is acceptable at thesis level but must be stated as a limitation)
- What you will do with full texts that cannot be retrieved

Full guidance on conducting screening is provided in [Screening the Results](#).

Quality Appraisal Approach

The quality appraisal section of your protocol specifies how you will assess the methodological rigor of included studies. Record:

- The appraisal tool you will use and why it is appropriate for your study types (CASP, MMAT, or JBI; all are free)
- Whether studies scoring below a threshold will be excluded, or whether all studies will be retained with quality noted in the synthesis
- Who will appraise (solo appraisal is acceptable at thesis level)

This decision must be made before appraising any study. Deciding post-hoc to exclude low-quality studies after seeing their findings is a form of bias. Full guidance on quality appraisal is provided in [Appraise Study Quality](#).

You will also be asked, at the end of your review, to evaluate the rigor of your own process using the self-assessment rubric on [Evaluating Your Own SLR Process](#).

Data Extraction and Synthesis Method

Data extraction: Specify the fields you will extract from each included study and the format of your extraction form (typically a spreadsheet). At minimum, record: author, year, country, methodology, sample, key findings, theoretical framework, limitations, and quality appraisal rating. A blank copy of your extraction form should be included as a thesis appendix. Full guidance is provided in [Extract Data](#).

Synthesis method: State whether you will use narrative synthesis, thematic synthesis, or meta-analysis, and briefly justify the choice in relation to your research question and expected study types. Even a one-sentence commitment ("findings will be synthesised narratively using thematic grouping") is sufficient at protocol stage. Full guidance on synthesis approaches is provided in [Synthesise and Report](#).

Timeline

Provide estimated completion dates for each stage. A systematic review takes significantly longer than most students anticipate; building in buffer time is essential.

Stage	Planned completion date
Protocol finalised and supervisor-approved	
Database searches completed	
Title/abstract screening completed	
Full-text screening completed	
Quality appraisal completed	
Data extraction completed	
Synthesis and write-up completed	

Protocol Registration (Optional)

Registering your protocol with an external repository creates a timestamped, publicly accessible record of your planned methods. This is optional for most student theses but is increasingly expected in academic publishing and demonstrates a high standard of rigor.

PROSPERO

PROSPERO (International Prospective Register of Systematic Reviews), hosted by the University of York, accepts reviews from health, social science, education, welfare, and business contexts. Registration is free and requires an ORCID iD. Note that PROSPERO does not accept scoping reviews; use OSF for those.

- URL: crd.york.ac.uk/prospero

OSF (Open Science Framework)

The OSF, maintained by the Center for Open Science, accepts protocol registrations for any discipline with no topic restrictions. It is the more flexible option for management, design, or interdisciplinary business research, and accepts scoping reviews.

- URL: osf.io

When Registration Is Not Required

Registration is not a formal requirement for most taught or research master's theses. If you do not register, state this explicitly in your methods chapter and give a brief reason (for example, the review is a thesis component rather than a standalone publication). Do not simply omit the topic.

Amendments to the Protocol

Any change made to the protocol after searching begins must be recorded as a formal amendment. For each amendment, document:

- The date of the change
- Which section was changed and what the original wording was
- The reason for the change

Amendments are not a sign of failure; they are a sign of transparency. What is not acceptable is changing methods silently to accommodate inconvenient results. Include the amendments log as an appendix in your thesis.

Common Mistakes to Avoid



- **Writing the protocol after searching.** A retrospective protocol defeats its purpose entirely.
- **Being too vague.** "Recent articles in English" is not a criterion; "peer-reviewed journal articles in English or German, published between January 2015 and December 2025" is.
- **Separating the criteria from the protocol.** Eligibility criteria are a section of the protocol, not a prior step. Do not finalise them in isolation.
- **Leaving the synthesis section blank.** Students frequently specify their search in detail but leave synthesis unaddressed. Commit to a method before you begin.
- **Not getting supervisor sign-off.** The protocol review is a checkpoint, not a formality. A supervisor who has approved your protocol cannot later object that your method was inappropriate.

Conducting Your Search

Overview

This step translates the search strategy you documented in your [protocol](#) into actual database queries, records the results systematically, and prepares a clean, deduplicated set of references for screening. Precision and documentation at this stage are critical: every decision you make must be recorded so that your search can be reported transparently in your final thesis.

Before You Begin

Confirm the following are in place before opening any database:

- ☐ Your research question is finalized
- ☐ Your inclusion and exclusion criteria are written down
- ☐ Your search strings are drafted for each database
- ☐ Your reference manager ([Zotero](#)) is installed and a new collection has been created for this review
- ☐ Your protocol has been reviewed by your supervisor

When your search is complete, use the [Search Quality Self-Assessment Checklist](#) to verify the search meets the standards of a rigorous systematic review. The checklist covers what to confirm before, during, and after searching.

Set Up Your Search Logbook

A search logbook is a running record of every search action you take. It is distinct from your protocol: the protocol records what you *planned* to do; the logbook records what you *actually did*.

Both are required for a transparent, reportable review.

Your logbook should record, for every search:

Field	Example
Database	Business Source Ultimate (EBSCO)
Date of search	2026-02-23
Search string used	("sustainability reporting" OR "CSR disclosure") AND ("SME*" OR "small firm*") AND (Europe*)
Filters applied	Peer-reviewed; 2015–2025; English
Number of results	347
Notes	Reran with "non-financial reporting" added; 412 results

A simple spreadsheet works well for this purpose. The logbook feeds directly into the PRISMA flow diagram you will produce during write-up, so keep it current throughout.

Search Each Database

Execute your search strings in the order listed in your protocol. The recommended databases for business and management research at this institution are listed below, with notes on their particular strengths.

Database	Strengths	Access
Business Source Ultimate (EBSCO)	Largest business-specific database; covers management, finance, marketing, HRM, economics; includes trade publications alongside peer-reviewed journals	Via Research Database Index
JSTOR	Strong for older foundational literature (pre-2010); humanities and social sciences including business history	Via Research Database Index

Database	Strengths	Access
Google Scholar	Useful for supplementary grey literature and thesis searches; not suitable as a primary database due to lack of advanced filtering and inconsistent coverage	Free ; use supplement ary only

Search each database independently. Do not rely on a single database regardless of how many results it returns; coverage varies significantly between databases, and a study that appears in JSTOR may not be indexed in Business Source Ultimate, and vice versa.

Constructing Effective Search Strings

If your strings from the protocol stage need refinement when you arrive at a database interface, follow these principles.

Boolean Operators

Three operators control how search terms are combined:

- **OR** broadens your search: use it to connect synonyms and variant terms for the same concept. Example: `"remote work" OR "telework" OR "working from home"`
- **AND** narrows your search: use it to connect different concepts that must both appear. Example: `"remote work" AND "employee engagement"`
- **NOT** excludes terms: use sparingly, as it can unintentionally remove relevant records. Example: `"sustainability" NOT "environmental science"`

Phrase Searching

Enclose multi-word concepts in quotation marks to search for the exact phrase rather than the individual words. Example: `"knowledge management"` rather than `knowledge management`.

Truncation and Wildcards

Most databases support truncation with an asterisk (*) to capture variant word endings:

- `organis*` captures organise, organisation, organisational, organising
- `sustain*` captures sustain, sustainability, sustainable, sustained

Check each database's documentation, as wildcard characters vary: EBSCO uses * and ?; Web of Science uses *, ?, and \$.

Controlled Vocabulary

Many databases use a subject thesaurus to index articles with standardised terms regardless of the words an author used. Using these terms improves recall significantly:

- **EBSCO Business Source Ultimate:** use the EBSCO Subject Thesaurus (available in the database interface under "Subject Terms")

Combining controlled vocabulary terms with free-text keywords in the same search string gives the best coverage. Example: `(DE "employee engagement") OR ("employee engagement" OR "work engagement" OR "job involvement")`

For more information on constructing search queries, review [Advanced Search Techniques](#) and [Making the most of Generative AI](#).

An Example

Research question: How do sustainability reporting practices in European SMEs influence investor decision-making?

Concept	Synonyms and variants
Sustainability reporting	"sustainability reporting", "CSR disclosure", "non-financial reporting", "ESG reporting", "integrated reporting"
European SMEs	"SME*", "small firm*", "small business*", Europe*, "European Union"

Concept	Synonyms and variants
Investor decision-making	"investor behavior", "investment decision*", "capital allocation", "shareholder*"

Combined string:

```
("sustainability reporting" OR "CSR disclosure" OR "non-financial reporting" OR "ESG reporting")
AND
("SME*" OR "small firm*" OR "small business*")
AND
(Europe* OR "European Union")
AND
("investor behavior" OR "investment decision*" OR "capital allocation")
```

Testing and Iterating Your Search

Before committing to a final string, run test searches to calibrate your results.

- **Too many results (over 1,000):** Add an additional AND concept, apply stricter filters (date range, document type), or use more specific terminology
- **Too few results (under twenty):** Remove an AND concept, broaden synonyms using OR, check whether your terminology matches the vocabulary used in the field, or widen the date range
- **Zero results:** Check for syntax errors (mismatched quotation marks or parentheses), try individual concepts separately to identify which combination is causing the problem

A useful calibration technique is to take three to five papers you already know are relevant to your topic and verify that your search string retrieves them. If a known-relevant paper is not found, revise the string before proceeding.

Example: Iterating a Search

Initial search: "government branding" AND communication

Database: Web of Science

Results: 1,856 hits (too many to screen)

Refinement 1: Added language and document type filters (English, journal articles only)

Results: 1,626 hits

Refinement 2: Added date range filter (2000–2021)

Results: 1,553 hits (manageable for screening)

Documented in logbook: Three iterations recorded with reasons for each refinement.

This iterative approach is normal and expected; document each iteration in your search logbook rather than only recording the final string.

Export and Deduplicate References

Once you are satisfied with your search strings and have run them across all databases, export all results and combine them into a single reference set.

Exporting from Databases

Export records in **RIS format** (also called .ris or "citation export"), which is compatible with [Zotero](#) and all major screening tools. Export the full record including abstract, author, year, journal, and DOI. Do not export title-only records.

Importing into Zotero

1. In Zotero, create a new collection named for your review (e.g., "SLR — Sustainability Reporting SMEs")
2. Import each database export file: File → Import → select your .ris file
3. Repeat for each database export
4. All records will now appear together in the collection

Deduplication

The same article will often appear in multiple databases. Duplicates must be removed before screening begins, as screening the same paper twice distorts your counts and PRISMA numbers.

- **In Zotero:** select all items in your collection → right-click → "Find Duplicates." Zotero will flag probable duplicates for manual review and merging. Note that Zotero's deduplication is not perfect; a manual check is advisable for smaller datasets
- **In Rayyan or Covidence:** both tools include automatic deduplication when you upload your reference files, and this is often more reliable than Zotero for large datasets

Record the total number of records before and after deduplication in your search logbook. Both figures are required for the PRISMA flow diagram.


Supplementary Search Methods

Snowballing

Database searching alone may miss relevant studies published in venues not fully indexed or using terminology that differs from your search string. **Snowballing** addresses this by tracing citations forward and backward from a confirmed set of relevant papers.

SLR Process by

Wohlin, C. (2014). Guidelines for snowballing in systematic literature studies and a replication in software engineering. In M. Shepperd, T. Hall, & I. Myrvtveit (Eds.), Proceedings of the 18th International Conference on Evaluation and Assessment in Software Engineering (pp. 1–10). ACM. <https://doi.org/10.1145/2601248.2601268>



"Snowball-centred SLR process" by Hasan Koç is licensed under [CC BY-NC-SA 4.0](https://creativecommons.org/licenses/by-nc-sa/4.0/), based on [Wohlin \(2014\)](#).


Backward Snowballing

Review the reference lists of your included studies to identify earlier work that was not retrieved by your database search. This is particularly valuable for foundational studies that established key concepts in your topic area.

Forward Snowballing

Use citation databases (Google Scholar, Web of Science, Scopus if available) to identify later papers that have cited an included study. This captures recent work that builds on established findings.

Illustration



"Iterative backward and forward snowballing across six iterations" by Hasan Koç is licensed under [CC BY-NC-SA 4.0](https://creativecommons.org/licenses/by-nc-sa/4.0/), based on [Wohlin \(2014\)](#).

When to Apply Snowballing

Snowballing is not a replacement for systematic database searching; it is a supplement applied after your initial screening phase when you have a confirmed set of relevant studies. Record all snowballing activity in your search logbook: the source paper, the direction (forward or backward), and the number of additional records identified.

For an indepth discussion of snowballing, see:

- Wohlin, C. (2014). Guidelines for snowballing in systematic literature studies and a replication in software engineering. In *Proceedings of the 18th International Conference on Evaluation and Assessment in Software Engineering* (pp. 1–10). ACM.
[doi:10.1145/2601248.2601268](https://doi.org/10.1145/2601248.2601268)

Checking Grey Literature

Depending on your topic, relevant evidence may exist outside peer-reviewed journals. Grey literature includes reports from industry bodies, government agencies, NGOs, think tanks, and working papers. For business research, relevant sources include:

- **European Commission** (ec.europa.eu): policy documents, impact assessments, sector reports
- **OECD iLibrary** (oecd-ilibrary.org): working papers and statistical reports, free access
- **Statista**: industry statistics and market research (access via library portal)
- **SSRN** (ssrn.com): pre-prints and working papers in economics, finance, and management, free access

Grey literature is generally searched manually rather than by Boolean string. Record any sources checked and the date of search in your logbook, even if they yield no results.

Common Mistakes to Avoid

- **Searching without a documented string.** Running an undocumented search cannot be reported or replicated.
- **Using only one database.** No single database covers the full scope of business and management literature.
- **Forgetting to record the search date.** Database content changes; the date is required for your methods section.
- **Exporting only titles.** Abstracts are required for the screening stage; always export full records.

- **Deduplicating by eye only.** Manual deduplication of large datasets is unreliable; use a tool.

Screening the Results

Overview

Screening is the process of applying your pre-specified inclusion and exclusion criteria to the deduplicated set of references produced earlier, in order to identify the studies that will form the basis of your review. It proceeds in two sequential phases: first by title and abstract, then by full text. Each phase reduces the total set further; only studies that pass both phases are included in your final review.

Screening is the step most vulnerable to unconscious bias. The discipline of applying your criteria consistently, rather than on a case-by-case intuitive basis, is what separates a systematic review from an informal one.

Prepare for Screening

Before beginning, confirm the following:

- ☐ Your inclusion and exclusion criteria are written out explicitly (not held in your head)
- ☐ Your deduplicated reference set has been imported into your screening tool
- ☐ You have conducted a short calibration exercise (see below)

Calibration

Before screening the full dataset, test your criteria against a small sample of twenty to thirty records drawn randomly from your reference set. Apply the criteria independently, then compare decisions. This exercise helps surface edge cases and sharpen your application of the criteria.

Phase 1: Title and Abstract Screening

In the first phase, you review the title and abstract of every record in your deduplicated set and make a binary decision: include (proceed to full-text screening) or exclude (remove from the set, with reason recorded).

Decision Rules

- **Include** any record where the title and abstract suggest the study *could* meet your criteria. When in doubt at this phase, include rather than exclude; you will assess more carefully in Phase 2.
- **Exclude** only when you are confident the record does not meet one or more criteria. Record which criterion it fails.
- **Cannot determine:** if the abstract is absent or too brief to judge, mark the record for full-text retrieval. Do not exclude on the basis of insufficient information.

Recording Exclusions

For every excluded record, note the primary reason for exclusion using the categories from your inclusion/exclusion criteria. Example reasons:

- Outside date range
- Not peer-reviewed
- Not relevant to research question
- Wrong population or context
- Language not covered by criteria
- Duplicate not caught in deduplication

These reasons feed directly into the PRISMA flow diagram. You do not need to record a reason for every individual exclusion; recording the category count is sufficient (e.g., "247 excluded: wrong topic; 43 excluded: outside date range").

Phase 2: Full-Text Screening

Records that pass Phase 1 are retrieved in full and assessed against the complete set of inclusion and exclusion criteria. Full-text screening is more demanding than title/abstract screening because you are working with the entire paper and must make a definitive inclusion decision.

Retrieving Full Texts

- If you don't already have the full texts, search [library databases](#)
- For items not available through the library databases: contact the library reference desk
- For preprints or working papers, check **SSRN** (ssrn.com) or the author's institutional repository
- If a full text genuinely cannot be obtained after reasonable effort, record it as "full text not retrievable" in your PRISMA count; do not exclude it silently

Assessing Full Texts

Read at minimum the abstract, introduction, methods section, and conclusion of each paper. You do not need to read every paper cover to cover at this stage; the goal is to confirm eligibility, not to extract data. Focus on:

- Does the study actually investigate the population and phenomenon specified in your research question?
- Does the methodology match the study types in your inclusion criteria?
- Is the publication context (journal, conference, report type) within scope?
- Does the date of data collection (not just publication) fall within your date range?

Record a clear reason for every full-text exclusion. At this phase, vague reasons such as "not relevant" are insufficient; specify which criterion was not met.

Screening Tools

Rayyan (Recommended for most students)

Rayyan (rayyan.ai) is a free, web-based screening tool designed specifically for systematic reviews.

Key features:

- Allows labelling of exclusion reasons
- Exports screening decisions for the PRISMA diagram
- No software installation required; browser-based
- Free for individual and small team use

To get started: create a free account at rayyan.ai, create a new review, and upload your .ris export files. Rayyan deduplicates on import.

Spreadsheet (Fallback Option)

An Excel or LibreOffice Calc spreadsheet with one row per reference, columns for title, abstract, Phase 1 decision, Phase 2 decision, and exclusion reason is a fully acceptable approach for smaller datasets (under 500 records). It requires more manual discipline but has no access barriers.

Produce the PRISMA Flow Diagram

At the conclusion of screening, compile the following counts from your logbook and screening tool:

1. Total records identified across all databases
2. Total records after deduplication
3. Records excluded at title/abstract screening (with reason categories)
4. Full texts sought
5. Full texts not retrievable

6. Full texts excluded (with reason categories)

7. Studies included in the final review

These numbers populate the PRISMA 2020 flow diagram, a standardised visual representation of the screening process. A pre-formatted Word version of the PRISMA 2020 flow diagram is available [here](#). Complete it as you go; do not attempt to reconstruct the numbers from memory at write-up stage.

Common Mistakes to Avoid

- **Applying criteria inconsistently.** If you find yourself making exceptions, revisit the written criteria rather than bending them for individual records.
- **Excluding at Phase 1 on a hunch.** If an abstract is ambiguous, include it for full-text review rather than excluding it.
- **Not recording exclusion reasons.** Without reasons, the PRISMA diagram cannot be completed and your methods section cannot be written.
- **Screening fatigue.** For large datasets, screen in sessions of no more than ninety minutes. Fatigue measurably increases inconsistency.
- **Conflating screening with data extraction.** Screening answers only one question: does this study meet the eligibility criteria? Deeper engagement with content comes later.

Appraise Study Quality

Overview

Quality appraisal is the systematic assessment of the methodological rigor of each study included after screening. It answers the question: how much confidence can we place in the findings of this study? Appraisal does not judge whether a study is interesting or relevant (screening already established relevance); it judges whether the study was conducted in a way that makes its findings trustworthy.

Quality appraisal is mandatory in a rigorous SLR. Omitting it means you treat a poorly designed survey and a well-designed longitudinal study as equally credible evidence, which undermines the validity of your synthesis.

What Quality Appraisal Assesses

Appraisal criteria vary by study type, but the core questions are consistent across tools:

- Is the research question or aim clearly stated?
- Is the methodology appropriate to the research question?
- Is the sample or data source described and justified?
- Are data collection procedures transparent and consistent?
- Are the analysis methods appropriate and described in sufficient detail?
- Are the findings clearly presented and supported by the data?
- Are the limitations acknowledged by the authors?

No study is perfect. The goal of appraisal is not to exclude everything with weaknesses but to provide an honest account of the evidence base and to weight your synthesis accordingly.

Decide Before You Appraise

Two decisions must be made in your [protocol](#) and applied consistently here:

Will quality scores affect inclusion?

You have two options:

- **Threshold-based exclusion:** studies scoring below a defined threshold are excluded from the review. This produces a higher-quality evidence base but risks excluding the only available evidence on niche topics. If you use a threshold, state it in your protocol before appraising (e.g., "studies scoring below 50% on the CASP checklist will be excluded").
- **Retain all, note quality in synthesis:** all studies passing screening are included, but quality scores are reported alongside findings and used to qualify the strength of evidence in your discussion. This is the more common approach in business and management SLRs, where evidence bases are often smaller and more heterogeneous.

Either approach is defensible; what is not defensible is deciding after seeing the scores.

Who will appraise?

As with screening, appraisal by two independent reviewers with a conflict resolution process is the gold standard. **For a thesis-level review, solo appraisal is acceptable but should be stated as a limitation in your methods chapter.**

Selecting an Appraisal Tool

Choose your tool based on the study types in your included set. All three tools listed below are freely available with no registration required.

CASP Checklists

Access: casp-uk.net (direct PDF download, no registration)

The Critical Appraisal Skills Programme checklists are the most accessible entry point for students new to quality appraisal. Each checklist is short (ten to twelve questions with yes/no/can't tell responses) and includes guidance notes. Separate checklists exist for:

- Qualitative studies
- Randomised controlled trials
- Cohort studies
- Case-control studies
- Systematic reviews
- Economic evaluations
- Diagnostic test studies

For most business and management SLRs, the **qualitative checklist** will be the primary tool. If your included studies are methodologically mixed, you will need to apply different checklists to different study types and note which checklist was used for each study in your data extraction form.

Mixed Methods Appraisal Tool (MMAT)

Access: mcgill.ca (free PDF download from McGill University)

The MMAT is the strongest choice when your included studies span multiple methodological types, since a single tool handles qualitative, quantitative descriptive, quantitative randomised, quantitative non-randomised, and mixed-methods studies consistently. Each category has five criteria, allowing cross-study comparison of quality scores within a heterogeneous dataset.

The MMAT does not produce a numerical score; instead, each criterion is rated yes, no, or can't tell. This is intentional: the authors explicitly caution against summing scores into a single quality number, as this can create false precision.

JBI Critical Appraisal Tools

Access: jbi.global (free PDF download, no registration)

The Joanna Briggs Institute tools are comparable in accessibility to CASP and provide thirteen separate checklists covering a wider range of study types, including prevalence studies, case reports, case series, and qualitative evidence synthesis. They are slightly more detailed than CASP and include more extensive guidance notes.

Conducting the Appraisal

Work through each included study using your chosen tool. For each study, complete the checklist and record:

- The tool used and checklist type (where multiple types apply)
- The response for each criterion (yes / no / can't tell)
- Any notes on specific methodological concerns
- The overall quality judgement (strong / moderate / weak, or equivalent)

A suggested format for recording appraisal results is a spreadsheet with one row per study and one column per checklist criterion, plus an overall rating column. This makes it easy to sort by quality rating and to identify patterns (for example, if most studies share a common weakness such as lack of reflexivity, this becomes a theme in your discussion).

A Practical Tip

Read the methods section of each paper carefully before completing the checklist. Authors do not always report methods in detail in the abstract or even the results section; insufficient reporting is itself a quality concern, but it is worth distinguishing between a study that did not address a criterion and one that did but failed to report it.

Reporting Quality Appraisal in Your Thesis

Quality appraisal results must be reported transparently in your methods chapter and referenced in your discussion. Standard practice is to:

1. **Name the tool(s) used** and cite the source
2. **Present results in a summary table**, with one row per included study and columns for each criterion or an overall rating
3. **Describe the overall quality of the evidence base** in narrative: were most studies of moderate quality? Were there systematic weaknesses across studies (e.g., small sample sizes, single-country contexts)?
4. **Reference quality in your discussion**: when interpreting conflicting findings, note whether higher-quality studies favor one conclusion over another

Avoid the common error of completing a quality appraisal table and then never mentioning it again. The appraisal should inform how confidently you present your conclusions.

Common Mistakes to Avoid

- **Appraising after synthesis.** Quality appraisal must precede synthesis; if you read deeply before appraising, your judgements will be influenced by whether you liked the findings.
- **Applying the wrong checklist.** Using a qualitative checklist on a survey study, or vice versa, produces meaningless results. Identify each study's methodology before selecting the checklist.
- **Rating "can't tell" on everything.** If most responses are "can't tell," the issue is usually that you are not reading the methods section carefully enough, or the reporting is genuinely poor (which is itself a quality concern worth noting).
- **Treating quality appraisal as a hurdle to clear.** Its purpose is to characterise the evidence base, not to disqualify papers. A study with weaknesses can still contribute useful evidence if its limitations are acknowledged in the synthesis.
- **Forgetting to cite the appraisal tool.** The tool is a published instrument and must be referenced in your methods chapter.

Extract Data

Overview

Data extraction is the process of systematically pulling the information you need from each included study and recording it in a standardised form. It bridges the gap between your screened, appraised set of studies and the synthesis you will conduct later. Consistent, thorough extraction is what makes synthesis possible: if you extract different information from different papers, you cannot meaningfully compare or combine them.

Extraction is not the same as reading for interest. You are not summarizing papers freely; you are completing a pre-designed form that captures the same fields from every study in the same way.

Design Your Extraction Form

Your extraction form should have been designed as part of your [protocol](#). Review it now against your actual included studies and refine if necessary. Any changes at this stage count as a protocol amendment and should be documented.

Core Fields

Every extraction form for a business or management SLR should include the following fields as a minimum:

Field	What to record
Study ID	A unique reference number you assign (e.g., S01, S02) for use in tables and in-text citation during synthesis

Field	What to record
Author(s)	Last name and initials of all authors
Year	Year of publication
Title	Full title of the article
Journal/Source	Journal name, conference, or report series
Country/Region	Country where the study was conducted or the data originate
Study design/method	Qualitative, quantitative, mixed-methods; specify further (e.g., semi-structured interviews, survey, case study)
Sample	Size, type, and characteristics of the sample or dataset
Data collection period	When data were collected (may differ from publication year)
Key findings	A concise, accurate summary of findings relevant to your research question; use the authors' own language where possible
Theoretical framework	Any theory the study draws on (relevant for deductive synthesis)
Limitations noted by authors	As reported in the paper
Quality appraisal rating	Transfer the overall rating from earlier appraisal
Notes	Any observations relevant to synthesis (e.g., contradicts S04; uses unusual operationalisation)

Additional Fields by Research Type

Depending on your topic, you may also need:

- **Quantitative studies:** key statistical outcomes (effect sizes, correlation coefficients, significance levels), measurement instruments used
 - **Qualitative studies:** epistemological position (interpretivist, constructivist), method of analysis (thematic analysis, grounded theory, discourse analysis)
 - **Conceptual or review papers:** type of contribution (framework, typology, critique), scope of literature reviewed
-

Format of the Extraction Form

A spreadsheet (Excel or LibreOffice Calc) with one row per study and one column per field is the standard format and works well for most thesis-level reviews.

Advantages:

- Easy to sort and filter by country, method, year, or quality rating
- Column widths can accommodate varying amounts of text
- Can be shared with a supervisor for review
- Exports cleanly to a summary table for the thesis appendix

A blank version of the extraction form should be included as an appendix in your final thesis.

Conducting the Extraction

Work through each included study in order of your Study ID. For each paper:

1. Read the full text carefully, focusing on the abstract, introduction, methods, results, and discussion sections
2. Complete every field in the extraction form; leave no field blank (use "not reported" where the paper does not provide the information rather than leaving the cell empty)
3. Record findings in your own words, except for key definitions or theoretical statements where the authors' precise language matters; note any direct quotations with page numbers
4. Note any information that is ambiguous, inconsistent between sections of the paper, or that raises a question for synthesis

Handling Ambiguity

You will encounter papers where the methodology is not clearly described, findings are presented inconsistently, or the research question shifts between the introduction and the discussion. Record what is actually in the paper, note the ambiguity explicitly, and do not interpret charitably to fill

gaps. Gaps in reporting are themselves evidence of methodological weakness and belong in your quality appraisal record.

Pilot Extraction

Before extracting all included studies, conduct a pilot on three to five papers. It tests whether your form captures the information you actually need for synthesis

After the pilot, review the form: are any fields consistently empty or impossible to complete? Are any fields producing inconsistent entries between reviewers? Revise the form before proceeding, and document any changes as a protocol amendment.

Maintaining an Audit Trail

Keep a running note of any decisions you make during extraction that go beyond straightforward form completion. Examples:

- "S07 reports two separate studies in one paper; extracted as two separate rows"
- "S12 uses 'SME' to mean firms with under 500 employees, which differs from the EU definition; noted in synthesis"
- "S19 abstract reports significant results but body of paper presents a non-significant finding; used body of paper"

These notes protect you if your decisions are questioned during examination, and they support transparency if your review is ever published.

Preparing for Synthesis

Before moving to next step, review your completed extraction form as a whole:

- Are there patterns in the countries, methods, or theoretical frameworks of included studies?
- Are there clusters of studies addressing the same sub-question or using the same construct?
- Are there contradictions between studies that will need to be addressed in synthesis?
- Are there gaps in the evidence base that were not apparent before extraction?

A brief written memo at this stage, even half a page of notes, is a valuable precursor to synthesis. It helps you enter the next step with a sense of the landscape of the evidence rather than facing a blank page.

Common Mistakes to Avoid

- **Extracting selectively.** Record all findings relevant to your research question, including those that contradict your expectations. Selective extraction is a form of bias.
- **Leaving fields blank.** An empty field is ambiguous: it may mean the information was not reported, or it may mean you forgot to check. Use "not reported" explicitly.
- **Conflating extraction with synthesis.** The extraction form captures what each study says; synthesis is where you interpret and compare across studies. Do not begin drawing conclusions in the extraction form.
- **Using only the abstract.** Abstracts routinely omit, simplify, or misrepresent the findings of the full paper. Always extract from the full text.
- **Not versioning the form.** If you revise the extraction form after beginning extraction, save both versions and note when the change was made. Applying revised criteria retrospectively without documentation introduces inconsistency.

Synthesize and Report

Overview

Synthesis is where the work of the review becomes an argument. Having [identified](#), [screened](#), [appraised](#), and [extracted data](#) from your included studies, you now interpret what they collectively say in response to your research question. Reporting then translates that interpretation into a structured written account that meets the standards of academic transparency required for a thesis.

These two activities, synthesis and reporting, are treated together here because they are iterative: the structure of your synthesis shapes the structure of your report, and drafting the report often reveals gaps in the synthesis that require you to return to your notes.

Choose Your Synthesis Approach

Your synthesis method was specified in your [protocol](#). The two principal options for business and management SLRs are narrative synthesis and meta-analysis. A third option, thematic synthesis, is increasingly common and sits between the two.

Narrative Synthesis

Narrative synthesis organises findings from included studies into themes or categories and describes patterns, relationships, contradictions, and gaps in discursive prose. It is appropriate when:

- Included studies use different methodologies that cannot be statistically combined
- The evidence base is heterogeneous in population, context, or outcome measures
- Your research question asks "what," "how," or "why" rather than "how much"

This is the most common synthesis approach in business and management research and is suitable for the majority of thesis-level SLRs.

Thematic Synthesis

Thematic synthesis, developed by [Thomas and Harden \(2008\)](#), applies a more structured coding procedure to the findings of included studies before organising them into themes. It is particularly well-suited to reviews of qualitative studies and connects directly to the deductive, inductive, and combined coding approaches described in the [Bandara et al. \(2015\)](#) framework. The process involves three stages:

1. **Line-by-line coding** of the findings and conclusions sections of each included study
2. **Developing descriptive themes** by grouping related codes
3. **Generating analytical themes** that go beyond description to interpret what the evidence means in relation to your research question

Meta-Analysis

Meta-analysis pools numerical results from multiple quantitative studies using statistical methods to produce an overall effect size estimate. It is only appropriate when:

- Included studies are sufficiently homogeneous in design, population, and outcome measure to be meaningfully combined
- A sufficient number of studies report compatible quantitative outcomes
- You have the statistical training to conduct and report the analysis correctly

Meta-analysis is rarely appropriate at thesis level in business and management research; if your supervisor has suggested it, seek guidance early on statistical software ([R](#), [Stata](#), or [JASP](#)) and reporting requirements.

Conducting Narrative or Thematic Synthesis

The following steps apply to both narrative and thematic synthesis.


Step 1: Familiarize Yourself with the Evidence Base

Before coding, read all your extraction notes as a whole. Review the memo you wrote at the end of [Extract Data](#). Note the overall shape of the evidence: how many studies, what methods, what contexts, what time period.

Step 2: Develop a Coding Framework

Decide whether you will code deductively, inductively, or using a combined approach.

Deductive, Inductive, and Combined Coding



"Phase 2 of the Bandara et al. SLR process: organisation and preparation for analysis, including coding approach selection" by Hasan Koç is licensed under [CC BY-NC-SA 4.0](#), based on [Bandara et al., 2015](#).

The [Bandara et al. \(2015\)](#) framework, widely used in information systems and management SLRs, defines three approaches to coding:

Deductive coding: You bring a pre-existing theoretical framework or model to the data and apply its categories to the findings of included studies. This approach is appropriate when your research question asks how a specific theory has been applied across contexts, or when you are testing whether empirical evidence supports a theoretical proposition.

Inductive coding: Codes emerge from the data without a predetermined structure. You read findings across studies and assign descriptive labels that capture what is being said, allowing themes to develop organically. This approach is appropriate for exploratory research questions where the conceptual landscape is not yet well defined.

Combined approach: Begin with a small set of deductive codes derived from your research question or theoretical framework, then allow additional codes to emerge inductively as you encounter concepts not anticipated by the initial framework. This is the most flexible approach and is common in thesis-level SLRs where the scope is narrower than a full mapping review but broader than a theory-testing study.

For most business thesis SLRs, a combined approach is practical and defensible. Document your starting framework explicitly in your protocol and note any inductively derived codes as you develop them.

Step 3: Code the Findings

Work through your extraction form, reading the key findings field for each study and assigning one or more codes. Use a simple coding log: a spreadsheet or table with Study ID, finding, and code assigned. Keep codes concise (two to five words) and descriptive at this stage.

Step 4: Develop Themes

Group related codes into broader themes. A theme should:

- Capture a meaningful pattern across multiple studies
- Be distinct from other themes (minimal overlap)
- Be grounded in the evidence (traceable back to specific studies)
- Be relevant to your research question

Aim for three to six themes for a typical thesis-level review. Fewer than three suggests over-aggregation; more than six suggests insufficient grouping.

Step 5: Interpret and Analyse

For each theme, write an analytical account that:

- Describes what the studies within the theme collectively show
- Notes the strength and consistency of the evidence (referencing quality appraisal ratings from [Appraise Study Quality](#))
- Identifies contradictions between studies and offers an explanation if possible
- Notes where evidence is absent or weak

This is the intellectual contribution of your review. Do not simply list what each study found; explain what the body of evidence means.

Reporting Your Review

Your written report should follow the [PRISMA 2020 reporting guidelines](#), which specify what information must be included and where. The standard structure for an SLR thesis chapter or standalone review paper maps onto the following sections.

Introduction

- Background and rationale for the review
- Research question, stated explicitly using your chosen framework (PICO, SPIDER, or PCC)
- Brief note on what the review contributes (addressing a gap, updating an earlier review, etc.)

Methods

The methods section must be detailed enough for the review to be replicated. Include:

- Protocol reference (PROSPERO registration number or statement that no registration was conducted and why)
- Eligibility criteria, stated in full
- All databases searched, with dates and full search strings
- Screening process: phases, tools used, number of screeners, inter-rater reliability statistic if applicable
- Quality appraisal tool(s) used, with citations
- Data extraction approach, with reference to the form (included as an appendix)
- Synthesis method, with justification

Results

Present results in three parts:

1. **PRISMA flow diagram:** a visual account of records identified, screened, excluded at each phase, and finally included. The pre-formatted PRISMA 2020 Word template is available [here](#).
2. **Characteristics of included studies:** a summary table (one row per study) covering author, year, country, method, sample, and quality rating. This table belongs in the results section, not the appendix.
3. **Synthesis findings:** your thematic or narrative synthesis, organised by theme, with in-text citations to included studies using your Study ID codes (e.g., S01, S07, S12).

Discussion

- Interpret your findings in relation to your research question
- Compare your findings with those of related reviews or foundational theoretical frameworks
- Discuss the quality of the evidence base honestly
- Identify gaps in the literature and propose directions for future research
- State the limitations of your own review (search coverage, solo screening, language restrictions, etc.)

Conclusion

A brief section (one to two paragraphs) stating the main answer to your research question and its implications for research or practice. Do not introduce new evidence here.

The PRISMA Flow Diagram

The PRISMA 2020 flow diagram is a mandatory element of any SLR report. It visually documents the flow of records through the review process and allows readers to evaluate the thoroughness of your search and the basis for your inclusions.

The four stages represented in the diagram are:

1. **Identification:** total records retrieved from each database, plus any records from supplementary sources (grey literature, snowballing, hand-searching)
2. **Screening:** records after deduplication; records excluded at title/abstract screening with reason counts
3. **Eligibility:** full texts assessed; full texts excluded with reason counts; full texts not retrievable
4. **Included:** final number of studies included in the review

A pre-formatted Word version of the PRISMA 2020 flow diagram is available [here](#). Complete the numbers from your search logbook and screening tool records; do not estimate.

Presenting Included Studies

In-Text Citation Convention

During synthesis, refer to included studies by their Study ID (e.g., S01) rather than by author and year, to distinguish them visually from other literature cited in the discussion. Provide a complete reference list of included studies as a separate appendix, clearly labelled "Included Studies," so that examiners can locate them independently of your general reference list.

The Characteristics Table

The summary table of included study characteristics is one of the most-read elements of an SLR report. Present it clearly and completely. At minimum, include: Study ID, author(s), year, country, methodology, sample, and your quality rating. If space allows, add a brief "key finding" column (one sentence per study).

Common Mistakes to Avoid

- **Synthesizing by summary.** Listing what each study found, one by one, is not synthesis. Synthesis requires you to compare across studies, identify patterns, and draw analytical conclusions.
- **Ignoring contradictory evidence.** If two studies reach opposing conclusions, engage with both and attempt an explanation. Omitting contradictions is a form of bias.
- **Detaching quality appraisal from synthesis.** The confidence you express in your conclusions should reflect the quality of the underlying evidence. A finding supported only by weak studies should be qualified accordingly.
- **Incomplete PRISMA numbers.** Every number in the flow diagram must be traceable to your logbook. Inconsistencies between the diagram and the methods text undermine the credibility of the review.
- **Conflating limitations of included studies with limitations of your review.** The limitations section of your discussion should address both, but separately: weaknesses in the evidence base are distinct from weaknesses in your review process.

Evaluating Your Own SLR Process

This section is distinct from [Appraise Study Quality](#), which assesses the rigor of the *primary studies* you have included. This section asks a different question: how rigorously did *you* conduct the review itself?

Overview

Quality appraisal tools such as [CASP](#), [MMAT](#), and [JBI](#) look outward: they help you evaluate the studies in your dataset. The checklist and scoring rubric on this page look *inward*: they help you evaluate your own review process against recognized best practices.

The items below are adapted from [Petersen, Vakkalanka, and Kuzniarz \(2015\)](#), who derived them from a systematic mapping study of how SLRs and systematic mapping studies are conducted in practice. Use this rubric in two ways:

- **[During planning](#)**: as a checklist of actions to build into your protocol.
- **Before submission**: as a retrospective audit to identify gaps in your process and to disclose them transparently in your methods chapter.

This rubric was developed in the context of software engineering research. The core dimensions; motivating the review, search strategy, search evaluation, extraction/classification, and validity; apply equally to business and management SLRs. Items that refer to software-engineering-specific classification schemes may be skipped if they are not relevant to your discipline.

Part 1: Activities Checklist

The table below lists the 26 actions identified by Petersen et al. (2015) as relevant to a rigorous systematic review or mapping study. Work through each row and mark whether the action was taken (✓), partially taken (~), or not taken (✗). This produces a ratio score: count your ✓ marks and divide by 26 (or by the number of applicable items).

Phase	Action	Take n?
Motivate the review	Motivate the need and relevance of the review	
	Define objectives and research questions	
	Consult with the target audience (e.g., supervisor, domain expert) to refine questions	
Search strategy	Conduct a database search	
	Apply snowball sampling (backward and/or forward)	
	Conduct a manual search of key journals or conference proceedings	
Develop the search	Use a structured framework (PICO, SPIDER, or PCC) to derive keywords	
	Consult a librarian or domain expert during search design	
	Iteratively refine the search string to improve coverage	
	Derive additional keywords from known relevant papers	
	Use thesauri, encyclopedias, or controlled vocabularies (e.g., MeSH, EBSCO subject headings)	
Evaluate the search	Test the search against a set of known-relevant papers	
	Have an expert evaluate the search results	
	Check the web pages or profiles of key authors in the field	
	Conduct a test-retest to check consistency	
Inclusion and exclusion	Define objective, pre-specified criteria for inclusion and exclusion	

Phase	Action	Take n?
	Involve a second reviewer; resolve disagreements systematically	
	Define and apply explicit decision rules for borderline cases	
Data extraction	Define objective criteria for the extraction process	
	Blind or obscure information that could bias extraction	
	Involve a second reviewer; resolve disagreements in extraction	
	Conduct test-retest of extraction on a subset	
Classification	Classify studies by research type (e.g., empirical, conceptual, review)	
	Classify studies by research method (e.g., case study, survey, experiment)	
	Classify studies by venue type (e.g., journal, conference, practitioner publication)	
Validity	Discuss validity threats and limitations of the review process	

Part 2: Scoring Rubrics

After completing the checklist, use the rubrics below to assign a score to each of the five key dimensions. Record these scores in your methods chapter alongside a brief narrative.

Rubric 1: Motivating the Review

Score	Label	Description
0	Not described	The review is not motivated and no objectives are stated
1	Partial	Motivations and research questions are provided
2	Full	Motivations and questions are provided and have been developed in dialogue with the target audience (supervisor, practitioners, or domain experts)

Rubric 2: Search Strategy

Score	Label	Description
0	Not described	Only one type of search was conducted
1	Minimal	Two search strategies were used
2	Full	All three strategies were used: database search, snowball sampling, and manual search

Rubric 3: Evaluating the Search

Score	Label	Description
0	Not described	No actions were taken to improve the reliability of the search or inclusion/exclusion process
1	Minimal	At least one action was taken to improve <i>either</i> the reliability of the search <i>or</i> the inclusion/exclusion process
2	Partial	At least one action was taken to improve <i>both</i> the search and the inclusion/exclusion process
3	Full	All identified actions were taken

Rubric 4: Extraction and Classification

Score	Label	Description
0	Not described	No actions were taken to improve extraction reliability or enable comparability between studies
1	Minimal	At least one action was taken to increase extraction reliability
2	Partial	At least one action to increase extraction reliability and studies were classified by research type and method
3	Full	All identified actions were taken

Rubric 5: Study Validity

Score	Label	Description
0	Not described	No threats or limitations are described
1	Full	Threats and limitations of the review process are described

Interpreting Your Scores

No minimum threshold is formally established in the literature for general SLRs; the rubric is a diagnostic tool, not a pass/fail gate. Use the results as follows:

- **In your methods chapter:** Report your scores and briefly explain any dimension rated 0 or 1. A low score on a dimension is not automatically a fatal flaw, but it must be acknowledged as a limitation.
- **In your discussion:** Dimensions scored 0 (especially search strategy and validity) should be discussed explicitly when qualifying the strength of your conclusions.
- **As a planning aid:** If you are still in the protocol stage, any action not yet checked is a concrete item to build into your plan before searching begins.

For more detail on designing and evaluating your search strategy, see the [Search Quality Self-Assessment Checklist](#) (adapted from vom Brocke et al., 2015), which provides granular guidance on the search phase specifically.